

MATERIAL SAFETY DATA SHEET

VIVANTIS TECHNOLOGIES SDN BHD REVONGEN CORPORATION CENTER 12A, Jalan TP5, Taman Perindustrian UEP, 47600 Subang Jaya, Selangor, Malaysia.

For Information:

Tel: +603-8025 1603 Email: info@vivantechnologies.com Fax: +603-80351637 / 1354 URL: www.vivantechnologies.com

Document No.: MSDSrev03_PR0603

Date prepared: 1st December 2018 Reviewed: 2nd January 2019

SECTION 1: CHEMICAL IDENTIFICATION

Code: PR0603-100G; PR0603-500G; PR0603-1kG

Name: Acrylamide

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENT

Chemical Name: CAS: %

Acrylamide 79-06-1 95-100%

SECTION 3: HAZARDS IDENTIFICATION

WHMIS Classification

D1B Toxic Material Causing Immediate and Serious Toxic Effects
D2A Very Toxic Material Causing Other Toxic Effects
Toxic by ingestion
Toxic by inhalation
Chronic toxicity
Carcinogen
Reproductive hazard

Moderate skin irritant Moderate eye irritant Skin sensitizer

Skin sensitiz Mutagen

GHS Classification

Acute toxicity, oral-Category 3Toxicity, inhalation-Category 4Toxicity, dermal-Category 4Skin irritation-Category 2Eye irritation-Category 2A



Skin sensitizationGerm cell mutagenicityCarcinogenicityReproductive toxicitySpecific target organ toxicity, repeated exposure, oralPeripheral nervous system, acute aquatic toxicity
Category 1
Category 2
Category 1
Category 3

GHS Label elements, including precautionary statements





Signal word: Danger

Hazard statements

H301	Toxic if swallowed
H312+H332	Harmful in contact with skin or if inhaled
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H340	May cause genetic defects
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs (peripheral nervous system) through prolonged or
	repeated exposure if swallowed
H402	Harmful to aquatic life

Precautionary statements

P201

Wear protective gloves/protective clothing
If swallowed, immediately call a poison center or doctor
If in eyes, rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.

Obtain special instructions before use

P308+P313 If exposed or concerned, get medical advice/attention

HMIS Classification

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	1
Physical Hazard:	0

Potential Health Effects

In case of inhalation, may causes respiratory tract irritation. Toxic.

In case of skin contact, may causes skin irritation.

In case of eye contact, may causes eye irritation.

In case of ingestion, may be toxic.

Pairing Nature with Scientific Discoveries

Vivantis Technologies Sdn Bhd 587389- D

A member of Revongen Corporation (SST No: B16-1808-21023214)

Revongen Corporation Center

No12A, Jalan TP5, Taman Perindustrian UEP. 47600 Subang Jaya, Selangor Darul Ehsan, Malaysia.

E:info@vivantechnologies.com W: www.vivantechnologies.com

F: +6 03 8025 1603



SECTION 4: FIRST-AID MEASURES

In case of eyes contact, rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

In case of skin contact, wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Take victim immediately to hospital, consult a physican.

In case of inhalation, remove victim from area of exposure to fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of ingestion, never give anything by mouth to an unconscious person. Rinse mouth and throat thoroughly with water. Consult a doctor.

SECTION 5: FIRE FIGHTING MEASURES

Not flammable or combustible.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray, carbon dioxide, dry chemical powder or appropriate foam.

As in any fire, wear self-contained breathing apparatus for firefighting if necessary.

Hazardous decomposition products formed under fire conditions: Carbon oxides, nitrogen oxides

Explosion data – sensitivity to mechanical impact: No data available. Explosion data – sensitivity to static discharge: No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

For personal protection, wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For environmental precautions, prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

For cleaning up, pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: HANDLING AND STORAGE

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

Keep tightly closed in a dry, cool and well ventilated place.

Light sensitive. Keep in a dry place.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Component Value Control parameters

Acrylamide (79-06-1) TWA (ACGIH TLV) 0.03 mg/m^3

TWA (OSHA PEL) 0.3 mg/m³ (vacated)

 $0.03 \text{ mg/m}^3 \text{ (skin)}$

 $\begin{array}{ll} \text{IDLH (NIOSH)} & 60 \text{ mg/m}^3 \\ \text{TWA (NIOSH)} & 0.03 \text{ mg/m}^3 \end{array}$



Respiratory protection Where risk assessment shows air-purifying respirators are appropriate

use a full-face particle respirator type N100 (US) or type P3 (EN143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

appropriate government standards such as NIOSH (US) or CEN (EU). Handle with gloves. Gloves must be inspected prior to use. Use

proper glove removal technique (without touching gloves' outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and

good laboratory practices. Wash and dry hands.

Skin and body protection Complete suit protecting against chemicals. The type of protective

equipment must be selected according to the concentration and

amount of the dangerous substance at the specific workplace.

Eye protection Face shield and safety glasses. Use equipment for eye protection

tested and approved under appropriate government standards such as

NIOSH (US) or EN166 (EU).

Use mechanical exhaust or laboratory fumehood to avoid exposure.

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White Physical appearance: Powder

Hand protection

Odor: None or odorless

Odor threshold: No information available Density: No information available

pH: 5.2 - 6 at 500g/l

Melting point: 82-86°C

Boiling point: 125°C at 33hPa (25mmHg)

Flash point: 138°C

Auto-ignition temperature: No information available

Ignition temperature: 424°C

Explosion limit: No information available

Water solubility: 200 g/l at 20°C

Partition coefficient: log Pow: -0.67 n-octanol/water Vapour pressure: 2.1 hPa (1.6 mmHg) at 84.5°C 0.04 hPa (0.03 mmHg) at 40°C

0.09 hPa (0.0675 mmHg) at 25°C

Relative vapour density: 2.45

Evaporation rate: No information available



SECTION 10: STABILITY AND REACTIVITY

Stable under recommended storage conditions.

Materials to avoid: Acids, oxidizing agents, iron and iron salts, copper, brass, free

radical initiators

Possibility of hazardous reactions: No dangerous reactions known. Hazardous decomposition products: Carbon oxides, nitrogen oxides

Conditions to avoid: No conditions which may cause dangerous reactions.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50: Rat - 177mg/kg

Rat $-4 \text{hrs} - > 1500 \text{mg/m}^3$ Inhalation LC50: Rabbit – 1141mg/kg Dermal LD50:

Skin corrosion / irritation: Rabbit – no skin irritation (OECD Test Guideline 404) Serious eye damage / eye irritation: Rabbit – irritating to eyes (OECD Test Guideline 405)

Respiratory or skin sensitization: Maximisation Test (GPMT) – Guinea pig

(OECD Test Guideline 406) - May cause allergic skin

reaction.

May alter genetic material. In vivo tests showed mutagenic Germ cell mutagenicity:

effects.

Carcinogenic effects: This product contains a component that has been reported to

be probably carcinogenic based on its IARC, OSHA, ACGIH

NTP, or EPA classification. Possible human carcinogen. IARC: Group 2A, probably carcinogenic to humans

Reproductive toxicity: May cause reproductive disorders. Suspected human

reproductive toxicant

Animal testing did not show any effects on fetal development Teratogenicity:

Aspiration hazard: No information available Synergistic effects: No information available

Specific target organ toxicity – single exposure: No data available

Specific target organ toxicity – repeated exposure: Oral; cause damage to organs – peripheral

nervous system

To the best of our knowledge, the chemical, physical and toxicological properties have not been

thoroughly investigated. AS3325000 RTECS:



SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

This product is harmful to aquatic life.

LC50: Fish – Pimephales promelas (fathead minnow) – 90mg/l – 96hrs

EC50: Daphnia magna (Water flea) – 160mg/l – 48hrs NOEC: Fish – Cyprinus carpio (Carp) – 5mg/l – 28days Daphnia magna (Water flea) – 60mg/l – 48hrs

Persistence and degradability: 100% readily bioegradable (OECD Test Guideline 301D)

Bioaccumulative potential: Oncorhynchus mykiss (rainbow trout) – 72hrs

Bioconcentration factor (BCF) -1.65

Mobility in soil:

PBT and vPvB assessment:

No data available

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose waste material in accordance with all federal, state and local environmental regulation. For contaminated packing too dispose in accordance with all federal, state and local environmental regulation.

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION

IMDG

UN no.: 2074 Class 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: Acrylamide, Solid

Marine pollutant: No

DOT (US)

UN no.: 2074 Class 6.1 Packing group: III

Proper shipping name: Acrylamide, solid

Reported Quantity: 5000lbs
Marine pollutant: No
Poison Inhalation Hazard: No

IATA

UN number: 2074 Class 6.1 Packing group: III

Proper shipping name: Acrylamide, solid



SECTION 15: REGULATORY INFORMATION

Canada Regulatory Information:

WHMIS Classification

D1B Toxic Material Causing Immediate and Serious Toxic Toxic by ingestion

Effects

D2A Very Toxic Material Causing Other Toxic Effects Toxic by inhalation
D2B Toxic Material Causing Other Toxic Effects Chronic toxicity

Carcinogen

Reproductive hazard Moderate skin irritant Moderate eye irritant

Skin sensitizer Mutagen

SECTION 16: OTHER INFORMATION

The information contained in this MSDS relates only to the material(s) designed and does not relate to use(s) in combination with any other material, process(es) and /or chemical reaction(s). Vivantis Technologies Sdn. Bhd. provides this information in good faith, from sources believed to be accurate; however, Vivantis assumes no liability for its accuracy or completeness, and thus shall not be held liable for any damage resulting from handling or from contact with the above product.

All Vivantis products are supplied for manufacturing, research and laboratory use only. Researchers and laboratory personnel intending to use any of these products for medical investigation on human are solely responsible for such use and for compliance with the pertinent regulations of the United States Food & Drug Administration (US-FDA) and other regulations. We do not assume liability for damages resulting from the handling, use and/or disposal of these products, from their use in violation of patent or other rights or reliance upon this information.