



MATERIAL SAFETY DATA SHEET

VIVANTIS TECHNOLOGIES SDN BHD REVONGEN CORPORATION CENTER

Document No.: Date prepared: MSDSrev05_PR0605 10th January 2023

Reviewed: 10th January 2023

SECTION 1: CHEMICAL IDENTIFICATION

Catalogue Number: Product Name: PR0605-25g; PR0605-100g Ammonium Persulfate

Intended Use: For research use only. Not for use in diagnostic procedures.

Company Headquarters:

Vivantis Technologies Sdn Bhd Revongen Corporation Center Level 17, Top Glove Tower, No. 16, Persiaran Setia Dagang, Setia Alam, Seksyen U13, 40170 Shah Alam, Selangor Darul Ehsan, Malaysia. Tel: +6 03 3359 1166 Fax: +6 03 3358 0303 Email: info@vivantechnologies.com Website: www.vivantechnologies.com

Company Manufacturing:

Vivantis Technologies Sdn Bhd Level 1, Enterprise 2, Technology Park Malaysia, Lebuhraya Puchong-Sg. Besi, 57000 Bukit Jalil, Kuala Lumpur, Malaysia.

🕞 Vivantis Technologies

Pairing Nature with Scientific Discoveries

info@vivantechnologies.com

www.vivantechnologies.com





SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | EC No. |
|---------------------|-----------|-----------|
| Ammonium persulfate | 7727-54-0 | 231-786-5 |
| | | |

SECTION 3: HAZARDS IDENTIFICATION WHMIS Classification

| <u>vv Hiviis Classification</u> | | |
|---------------------------------|---|--|
| С | Oxidizing material | |
| D2A | Very toxic material causing other toxic effects | |
| D2B | Toxic material causing other toxic effects | |
| Е | Corrosive material | |
| | | |

Oxidizer Respiratory sensitizer Skin sensitizer Corrosive to metals Corrosive to skin

引 💿 Vivantis Technologies

GHS Classification

| Oxidizing solids - | Category 3 |
|--|-------------|
| Acute toxicity, oral - | Category 4 |
| Acute toxicity, dermal - | Category 5 |
| Skin corrosion/irritation - | Category 2 |
| Serious eye damage/eye irritation - | Category 2A |
| Respiratory sensitization - | Category 1 |
| Skin sensitization - | Category 1 |
| Specific target organ toxicity – single exposure - | Category 3 |
| Acute aquatic toxicity - | Category 3 |

GSH Label elements, including precautionary statements:



Signal word: Danger

Pairing Nature with Scientific Discoveries

info@vivantechnologies.com

a

www.vivantechnologies.com





🕟 Vivantis Technologies

Hazard statements

| H272 | May intensify fire; oxidizer. |
|------|--|
| H302 | Harmful if swallowed. |
| H313 | May be harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| H402 | Harmful to aquatic life. |
| | |

Precautionary statements

| P220 | Keep away from clothing and other combustible materials. |
|--------------------|--|
| P261 | Avoid breathing dust, fume, gas, mist, vapors or spray. |
| P280 | Wear protective gloves. |
| P305 + P351 + P338 | Rinse cautiously with water for several minutes if contact with eyes. |
| | Remove contact lens present and easy to do. Continue rinsing. |
| P342 + P311 | If experiencing respiratory symptoms, call a poison center or doctor or physician. |

HMIS Classification

| Health hazard: | 2 |
|-------------------|---|
| Flammability: | 0 |
| Physical hazards: | 1 |

Potential Health Effects

In case of eye contact, may cause eye irritation.

In case of skin contact, may be harmful if absorbed through skin and cause skin irritation. In case of inhalation, may be harmful and cause respiratory tract irritation. In case of ingestion, may be harmful.

SECTION 4: FIRST-AID MEASURES

In case of eye contact, rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

In case of skin contact, wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

In case of inhalation, move to fresh air. If not breathing, give artificial respiration.

In case ingestion, never give anything by mouth to an unconscious person. Rinse mouth with water.

Pairing Nature with Scientific Discoveries

info@vivantechnologies.com

www.vivantechnologies.com





🕟 Vivantis Technologies

SECTION 5: FIRE FIGHTING MEASURES

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH and full protective gear.

Hazardous decomposition products formed under fire conditions: Nitrogen oxides, sulphur oxides Container explosion may occur under fire conditions if specific hazards arising from the chemical. The product may intensify fire. Use water spray to cool unopened containers.

Explosion data – sensitivity to mechanical impact: No data available. Explosion data – sensitivity to static discharge: No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

For personal protection, use personal protective equipment. Avoid dust formation and breathing vapors, mist, dust or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For environmental precautions, prevent further leakage or spillage if safe to do so for containment. Do not let product enter drains. Discharge into the environment must be avoided.

For cleaning up, sweep up and shovel. Contain spillage and collect with an electrically protected vacuum cleaner or by wet brushing to avoid dust formation. Pick up and transfer to properly labeled containers for disposal according to local regulations. Keep in suitable, closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety practice.

Keep containers tightly closed in a dry, cool and well-ventilated place.

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition and heat.

Pairing Nature with Scientific Discoveries

info@vivantechnologies.com

www.vivantechnologies.com





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| Component | Value | Control parameters |
|-----------------------------|-------|-----------------------|
| Diammonium peroxodisulphate | TWA | 0.10mg/m ³ |
| | TWAEV | 0.10mg/m^3 |

Remarks: occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.

| Respiratory protection | Risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN143) |
|--------------------------|---|
| | respirator cartridges as a backup to engineering controls. Use |
| | respirators and components tested and approved under appropriate |
| | government standards such as NIOSH (US) or CEN (EU). |
| Hand protection | Handle with gloves. Gloves must be inspected prior to use. Use |
| | proper glove removal technique by not touching glove's outer surface |
| | to avoid skin contact with the product. Dispose of contaminated |
| | gloves after use in accordance with applicable laws and good |
| | laboratory practices. Wash and dry hands before break and at the end |
| | of workday. |
| Eye protection | Use face shield and safety goggles. Use equipment for eye protection |
| | tested and approved under appropriate government standards such as |
| | NIOSH (US) or EN166 (EU). |
| Skin and body protection | Complete suit protecting against chemicals. The type of protective |
| | equipment must be selected according to the concentration and |
| | amount of the dangerous substance at the specific workplace. |

Use mechanical exhaust or laboratory fume hood to avoid exposure. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Physical properties: Odor: Odor threshold: Density: pH: Melting point / freezing point: Boiling point: Flash point: Powder White color No data available No data available 1.980 g/cm³ 1.0-2.0 at 228g/l at 25°C (77°) Decomposes before melting Decomposes below the boiling point No data available

Pairing Nature with Scientific Discoveries

info@vivantechnologies.com
www.vivantechnologies.com

💿 Vivantis Technologies





Ignition temperature: Auto-ignition temperature: Lower explosion limit: Upper explosion limit: Water solubility: Partition coefficient: Relative vapor density: Evaporation rate: No data available No data available No data available No data available 228 g/l at 20°C ($68^{\circ}F$) – completely soluble No data available 7.88 (air = 1.0) No data available

SECTION 10: STABILITY AND REACTIVITY

May decompose on exposure to moist air or water. Stable under recommended storage conditions.

Other decomposition products: Hazardous decomposition products: Possibility of hazardous reactions: Conditions to avoid: Strong reducing agents, organic materials, powdered metals No data available Nitrogen oxides, Sulphur oxides No data available No data available

🕟 Vivantis Technologies

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity:

Materials to avoid:

| Oral LD50: | Rat – 689 mg/kg |
|------------------|-------------------|
| Inhalation LC50: | No data available |
| Dermal LD: | Rat - >2000 mg/kg |

| Skin corrosion/irritation: | Rabbit – no skin irritation | |
|--|---|--|
| Serious eye damage/eye irritation: | Rabbit – no eye irritation | |
| | Rabbit – mild eye irritation (OECD Test Guideline 405) | |
| Respiratory or skin sensitization: | May cause allergic respiratory and skin reactions | |
| | Guinea pig – causes sensitization (OECD Test Guideline 406) | |
| Germ cell mutagenicity: | No data available | |
| Reproductive toxicity: | No data available | |
| Teratogenicity: | No data available | |
| Aspiration hazard: | No data available | |
| Synergistic effects: | No data available | |
| Specific target organ toxicity – singl | le exposure: May cause respiratory irritation | |
| Specific target organ toxicity - repe | ated exposure: No data available | |

Pairing Nature with Scientific Discoveries

info@vivantechnologies.com

@
www.vivantechnologies.com





Carcinogenicity

IARC: No component of the product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.

RTECS: SE0350000

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

This product is harmful to aquatic life.LC50:Fish – Oncorhynchus mykiss (rainbow trout) – 76mg/l – 96hrsEC50:Daphnia magna (water flea) & other aquatic invertebrates – 120mg/l – 48hrsParristence and dagradabilityNo data quailable

| Persistence and degradability: | No data available |
|--------------------------------|--------------------------------|
| Bioaccumulative potential: | No data available |
| Mobility in soil: | No data available |
| PBT and vPvB assessment: | No data available |
| An environmental hazard cannot | be excluded in the event of un |

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Observe all federal, state and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION DOT (US)


| UN no.: 1444 | Class: 5.1 | Packing group: III |
|-----------------------|------------|--------------------|
| Proper shipping name | : Am | monium persulfate |
| Marine pollutant: | No | |
| Poison inhalation haz | ard: No | |

Pairing Nature with Scientific Discoveries

info@vivantechnologies.com

a

www.vivantechnologies.com





IMDG

UN no.: 1444Class: 5.1Packing group: IIIProper shipping name:Ammonium persulphateMarine pollutant:No

EMS-No: F-A, S-Q

IATA

UN no: 1444 Class: 5.1 Packing group: III Proper shipping name: Ammonium persulphate

SECTION 15: REGULATORY INFORMATION WHMIS Classification

| С | Oxidizing material |
|-----|---|
| D2A | Very toxic material causing other toxic effects |
| D2B | Toxic material causing other toxic effects |
| E | Corrosive material |

Oxidizer Respiratory sensitizer Skin sensitizer Corrosive to metals Corrosive to skin

SECTION 16: OTHER INFORMATION

The information contained in this MSDS relates only to the material(s) designed and does not relate to use(s) in combination with any other material, process(es) and /or chemical reaction(s). Vivantis Technologies Sdn. Bhd. provides this information in good faith, from sources believed to be accurate; however, Vivantis assumes no liability for its accuracy or completeness, and thus shall not be held liable for any damage resulting from handling or from contact with the above product.

All Vivantis products are supplied for manufacturing, research and laboratory use only. Researchers and laboratory personnel intending to use any of these products for medical investigation on human are solely responsible for such use and for compliance with the pertinent regulations of the United States Food & Drug Administration (US-FDA) and other regulations. We do not assume liability for damages resulting from the handling, use and/or disposal of these products, from their use in violation of patent or other rights or reliance upon this information.

Pairing Nature with Scientific Discoveries

info@vivantechnologies.com

www.vivantechnologies.com





